



Clip-Grip Hose Clamp, screwable, Steel quality W4, stainless steel 1.4301

screwable clamp for attaching all hose types from the Master-Clip series to mobile and stationary systems

Product Details

Construction / Material

- Specification of the connection solution: largely tension-resistant and largely leak-proof connection due to bridge profiles
- Clamp Design: clamp with housing, worm thread and clamping screw, clamping screw in sizes M5-M10 designed as slotted hexagon screw, clamp band with single or multiple bridges, spot welded bridge
- Material of the clamp: stainless steel 1.4301, material grade W4

Properties

- Chemical Properties: rust-protected
- Other: easy to assemble

Article Variants

Article number	DN of the hose in mm	Clamping range in mm	suitable for / as
001488	40/45	35 / 55	for Master-Clip hoses in DN 40/45
001490	50	45 / 65	for Master-Clip hoses in DN 50/55
001492	60/65	55 / 75	for Master-Clip hoses in DN 60/65
001494	70/75	65 / 85	for Master-Clip hoses in DN 70/75
001496	80	75 / 95	for Master-Clip hoses in DN 80
001498	90	85 / 105	for Master-Clip hoses in DN 90
001500	100	95 / 115	for Master-Clip hoses in DN 100
001504	110	105 / 125	for Master-Clip hoses in DN 110/115
001507	120/125	115 / 135	for Master-Clip hoses in DN 120/125
001509	130	125 / 145	for Master-Clip hoses in DN 130

Article number	DN of the hose in mm	Clamping range in mm	suitable for / as
001511	140	135 / 155	for Master-Clip hoses in DN 140
001513	150	145 / 165	for Master-Clip hoses in DN 150
001515	160	155 / 175	for Master-Clip hoses in DN 160
001518	170/175	165 / 185	for Master-Clip hoses in DN 170/175
001520	180	175 / 195	for Master-Clip hoses in DN 180
001523	200	195 / 215	for Master-Clip hoses in DN 200
001526	215	205 / 225	for Master-Clip hoses in DN 215
001528	225	215 / 235	for Master-Clip hoses in DN 225
001530	250	245 / 265	for Master-Clip hoses in DN 250
001534	275	265 / 285	for Master-Clip hoses in DN 275
001538	300	295 / 315	for Master-Clip hoses in DN 300
001540	315	305 / 325	for Master-Clip hoses in DN 315
001542	325	315 / 335	for Master-Clip hoses in DN 325
001544	350	345 / 365	for Master-Clip hoses in DN 350
001547	375	365 / 385	for Master-Clip hoses in DN 375
001549	400	395 / 415	for Master-Clip hoses in DN 400
001553	450	445 / 465	for Master-Clip hoses in DN 450
001555	500	495 / 515	for Master-Clip hoses in DN 500
001558	550	545 / 565	for Master-Clip hoses in DN 550
001562	600	595 / 615	for Master-Clip hoses in DN 600
001565	700	695 / 715	for Master-Clip hoses in DN 700
001569	800	795 / 815	for Master-Clip hoses in DN 800
001536	280	275 / 295	for Master-Clip hoses in DN 280

Subject to technical changes and colour deviations

Delivery Variants

Available in other lengths, other nominal diameters, with customer-specific customer-specific imprint.

Disposal instructions

After use, the product must be disposed of in accordance with the legal regulations applicable in the user's region (in Germany in accordance with the applicable Waste Catalogue Ordinance (AVV)).



Individual consultation

We offer consultation by phone: **+49 209 97077 0**

Product requests via: <https://www.masterflex.it/>

Headquarters for your sales area

Masterflex SE

Willy-Brandt-Allee 300
45891 Gelsenkirchen
Germany